

Application Source:**File Type:** Delimited**File Group:****Reinsurance Year:** 2011**Record Name:** Unknown**Version:** Draft 1**Record Code:** P98Z**Release Date:** 9/15/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
P98Z	*	1	AIP Code	Character	2				AIP Code must be valid; edit with Plan of Ops/AIP Company table.
P98Z	*	2	Reinsurance Year	Numeric	4	CCYY			Reinsurance Year must equal "2011".
P98Z	*	3	Record Type Code	Character	6				Record Type Code must equal "P98Z"
P98Z	*	4	Overflow Field Number List	Character	300				Overflow Field Number List contains the field number of all fields in the input record that exceeded the allowable size for that column in the staging table.
P98Z	*	5	Malformed Batch Code	Character	1				Malformed Batch Code is used to identify the reason a batch was rejected in it's entirety. Malformed Batch Code must equal Malformed File, "M" or Malformed Row, "R".
P98Z	*	6	Unknown Row Number	Numeric	15				Unknown Row Number is a sequential number assigned to each Unknown, "P98Z" record found during processing. Unknown Row Number is unique within the Unknown records for the batch.
P98Z	*	7	Batch Received Date	Date Time	21	CCYYMMDD hh:mm:ss.fff			Batch Received Date is the date that the AIP file is received by RMA.
P98Z	*	8	Batch Number	Numeric	4	9999			Batch Number is a sequential number assigned when an AIP file is received.

"*" = Output Only

11/16/2009

Application Source:

File Type: Delimited

File Group:

Reinsurance Year: 2011

Record Name: Unknown

Version: Draft 1

Record Code: P98Z

Release Date: 9/15/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
P98Z	*	9	Source File Row Number	Numeric	15				Source File Row Number is a unique number assigned by RMA to identify the Row from the Source File where the error occurred.
P98Z	*	10	Unknown Reason Code	Character	1				The Unknown Reason Code is used to identify the reason a single row was rejected. See Unknown Reason ICE, "D0017" for valid values.

Application Source:

File Type: Delimited

File Group:

Reinsurance Year: 2011

Record Name: Unknown

Version: Draft 1

Record Code: P98Z

Release Date: 9/15/2010

<u>Record Number</u>	<u>Output</u>	<u>Field Number</u>	<u>Field Name</u>	<u>Data Type</u>	<u>Max Length</u>	<u>Format</u>	<u>BUS Key</u>	<u>Req?</u>	<u>Rules</u>
Change Log									
P98Z	*	5	Malformed Batch Code	Character	1	5/29/2009			Changed name Flag to Code.
P98Z	*	6	Unknown Row Number	Numeric	15	9/29/2009			Changed name from Unknown Record Data to Unknown Row Number. Changed type from Character 5000 to Numeric 15. Changed text to represent update.
P98Z	*	9	Source File Row Number	Numeric	15	9/29/2009			Changed name from Source File Row ID.
P98Z	*	10	Unknown Reason Code	Character	1	11/11/2009			Added ICE # to Rule - The Unknown Reason Code is used to identify the reason a single row was rejected. See Unknown Reason ICE, "D0017" for valid values.